



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/872,502	06/01/2001	Jason John Rutherglen	0104632-991110	1520
36716	7590 03/15/2006		EXAMINER	
LADAS & PARRY			BAUM, RONALD	
5670 WILSHIRE BOULEVARD, SUITE 210 LOS ANGELES, CA 90036-5679		TTE 2100	ART UNIT	PAPER NUMBER
	•		2136	

DATE MAILED: 03/15/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	09/872,502	RUTHERGLEN ET AL.			
Office Action Summary	Examiner	Art Unit			
	Ronald Baum	2136			
The MAILING DATE of this communication app Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	Lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>22 December 2005</u> . This action is FINAL . 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) ☐ Claim(s) 1-38 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-38 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the organization Replacement drawing sheet(s) including the correction of the organization is objected to by the Examine 11).	epted or b) objected to by the Edrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119		•			
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list 	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

Art Unit: 2136

DETAILED ACTION

- 1. This action is in reply to applicant's correspondence of 22 December 2005.
- 2. Claims 1-38 are pending for examination.
- 3. Claims 1-38 remain rejected.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

- 4. Claims 1-38 are rejected under 35 U.S.C. 102(e) as being anticipated by Albaugh et al, U.S. Patent 6,687,831 B1.
- 5. As per claim 1; "An apparatus for accessing data from a database through a security mechanism, the apparatus comprising:

a first application capable of

being executed on a client computer [ABSTRACT, figures 7,8,10-15 and associated descriptions, as broadly interpreted by the examiner.]; one or more proxy objects

being generated in response to

commands from the first application,

the proxy objects requesting

Art Unit: 2136

data from a database [ABSTRACT, figures 7,8,10-15 and associated descriptions, whereas the use of the multiple security enablement's clearly are utilized in a database access environment (i.e., figure 7 and associated description) via proxy object generation/instantiation over the network (i.e., Internet), as broadly interpreted by the examiner.];

one or more drivers capable of

being stored on a server computer [ABSTRACT, figures 7,8,10-15 and associated descriptions, whereas the use of the multiple security enablement's clearly are utilized in a database access environment (i.e., figure 7 and associated description) via proxy object generation/instantiation over the network (i.e., Internet), whereas the database access encompass the particular database driver objects required for access, as broadly interpreted by the examiner.]; and a second application capable of

second application capable of

being executed on a server computer

separated from the first application by a security mechanism, the second application

receiving the proxy objects from the first application,
generating a database query based on the proxy objects and the drivers and
returning the database query results to the first application [ABSTRACT,
figures 7,8,10-15 and associated descriptions, whereas the use of the multiple
security enablement's clearly are utilized in a database access environment (i.e.,
figure 7 and associated description) via associated proxy object

Art Unit: 2136

generation/instantiation over the network (i.e., Internet) upon client initiation/request, whereas the database access encompass the particular database driver objects required for access with the security mechanism located in the logical data/object path (i.e., between the client and server(s) with associated references as accessed across the network via associated ORB processes), as broadly interpreted by the examiner.]."

Further, as per claim 11, this claim is the method claim for the system (apparatus) claim 1 above, and is rejected for the same reasons provided for the claim 1 rejection, as such, "A method for accessing data located behind a security mechanism, comprising: executing a first application on a client computer that generates one or more proxy objects; communicating the proxy objects to a second application on an application server; generating one or more database requests at the application server based on the proxy objects, the database requests being generating using database drivers; forwarding the database requests to a database; returning the data from the database to the application server; and providing the data back to the client computer using the proxy objects."

Further, as per claim 20, this claim is the system mean plus function claim for the system (apparatus) claim 1 above, and is rejected for the same reasons provided for the claim 1 rejection, as such; "A system for accessing; data located behind a security mechanism, comprising: a client having means for generating one or more database proxy objects in response to a database request; an application server comprising means for processing the received database proxy

Art Unit: 2136

objects and means for using one or more: drivers to generate one or more database requests

based on the database proxy objects; and wherein the client interacts with the database through

Page 5

the application server so that a security mechanism protecting the client does not interrupt the

accessing of the data in the database.".

6. Claim 2 additionally recites the limitation that; "The apparatus of Claim 1, wherein

the first and second applications are

Java language applications.

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 7,8,10-15 and

associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing

for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-col. 5,line

9, col. 6, lines 30-63) constitutes first and second Java language applications, as broadly

interpreted by the examiner.).

Further, as per claim 12, this claim is the method claim for the system (apparatus) claim 2

above, and is rejected for the same reasons provided for the claim 2 rejection, as such; "The

method of Claim 11, wherein

the first and

second set of applications are

Java language applications.".

Art Unit: 2136

(apparatus) claim 2 above, and is rejected for the same reasons provided for the claim 2 rejection,

Further, as per claim 21, this claim is the system mean plus function claim for the system

Page 6

as such; "The system of Claim 20, wherein

the generating means and

the processing means are

Java language applications.".

7. Claim 3 additionally recites the limitation that; "The apparatus of Claim 2, wherein

the first application comprises an applet.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 7,8,10-15 and

associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing

for an associated application (i.e., figure 4 and associated description, col. 4, lines 61-col. 5, line

9, col. 6, lines 30-63) constitutes first (i.e., applet) and second (i.e., servlet) Java language

applications, as broadly interpreted by the examiner.).

Further, as per claim 13, this claim is the method claim for the system (apparatus) claim 3

above, and is rejected for the same reasons provided for the claim 3 rejection, as such; "The

method of claim 12, wherein

executing the first application further comprises

executing a Java applet.".

Art Unit: 2136

Further, as per claim 22, this claim is the system mean plus function claim for the system

Page 7

(apparatus) claim 3 above, and is rejected for the same reasons provided for the claim 3 rejection,

as such; "The system of Claim 21, wherein

the generating means further comprises

an applet.".

8. Claim 4 additionally recites the limitation that; "The apparatus of Claim 3, wherein

the second application comprises

a servlet.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 7,8,10-15 and

associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing

for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-col. 5,line

9, col. 6, lines 30-63) constitutes first (i.e., applet) and second (i.e., servlet) Java language

applications, as broadly interpreted by the examiner.).

9. Claim 5 additionally recites the limitation that; "The apparatus of Claim 4 further

comprising

an application server that

executes the servlet.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 1-5,7,8,10-15

and associated descriptions, whereas the use of Java in support of the CORBA object bus

interfacing for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-

language applications, as broadly interpreted by the examiner.).

col. 5,line 9, col. 6,lines 30-63) constitutes first (i.e., applet) and second (i.e., servlet) Java

Further, as per claim 14, this claim is the method claim for the system (apparatus) claim 5 above, and is rejected for the same reasons provided for the claim 5 rejection, as such; "The method of Claim 13 further comprising executing the second set of applications on the application server that process the proxy objects from the client computer, wherein the second set of applications comprises servlets."

Further, as per claim 23, this claim is the system mean plus function claim for the system (apparatus) claim 5 above, and is rejected for the same reasons provided for the claim 5 rejection, as such; "The system of Claim 22, wherein the processing means further comprises a set of servlets."

10. Claim 6 *additionally recites* the limitation that; "The apparatus of Claim 5 further comprising

a database server that contains the data being accessed by the application server wherein

the database server and

the application server are located in different geographic areas.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 1-5,7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus

Art Unit: 2136

interfacing for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-

Page 9

col. 5, line 9, col. 6, lines 30-63) constitutes first (i.e., applet) and second (i.e., servlet) Java

language applications not necessarily collocated (i.e., col. 6,lines 20-39) as broadly interpreted

by the examiner.).

Further, as per claim 15, this claim is the method claim for the system (apparatus) claim 6

above, and is rejected for the same reasons provided for the claim 6 rejection, as such; "The

method of Claim 14 further comprising accessing the database using a 2 database server that

contains the data being accessed by the application server wherein the database server and the

application server are located in different geographic areas.".

Further, as per claim 24, this claim is the system mean plus function claim for the system

(apparatus) claim 6 above, and is rejected for the same reasons provided for the claim 6 rejection,

as such, "The system of Claim 23 further comprising means for storing the database that contains

the data being accessed by the application server wherein the database server and the application

server arc located in different geographic areas.".

11. Claim 7 additionally recites the limitation that; "The apparatus of Claim 6 further

comprising

a communications network that permits

the client,

the application server and

Art Unit: 2136

the database server to communicate data with each other and wherein the data communications between

the client and

application server occur using

the hypertext transfer protocol (HTTP) that

tunnels through the security mechanism.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 1-5,7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-col. 5,line 9, col. 6,lines 30-63) constitutes first (i.e., applet) and second (i.e., servlet) Java language applications not necessarily collocated (i.e., col. 6,lines 20-39). Further, whereas the use of the multiple security enablement's clearly are utilized in a database access environment (i.e., figure 7 and associated description) via associated proxy object generation/instantiation over the network (i.e., Internet, and associated HTTP transfer protocol) upon client initiation/request, whereas the database access encompass the particular database driver objects required for access with the security mechanism located in the logical data/object path (i.e., tunneling path between the client and server(s) with associated references as accessed across the network via associated ORB processes), as broadly interpreted by the examiner.).

Further, as per claim 16, this claim is the method claim for the system (apparatus) claim 7 above, and is rejected for the same reasons provided for the claim 7 rejection, as such; "The method of Claim 15, wherein the communications between the client computer and the

Art Unit: 2136

application server uses the hypertext transfer protocol (HTTP) that tunnels through the security mechanism."

Further, as per claim 25, this claim is the system mean plus function claim for the system (apparatus) claim 7 above, and is rejected for the same reasons provided for the claim 7 rejection, as such; "The system of Claim 24 further comprising means for communicating between the client, the application server and the database server to communicate data with each other and wherein the data communications between the client and application server occur using the hypertext transfer protocol (HTTP) that tunnels through the security mechanism.".

12. Claim 8 *additionally recites* the limitation that; "The apparatus of Claim 7, wherein the data communications between

the client and

the application server occur over port 80.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 1-5,7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-col. 5,line 9, col. 6,lines 30-63) constitutes first (i.e., applet) and second (i.e., servlet) Java language applications not necessarily collocated (i.e., col. 6,lines 20-39). Further, whereas the use of the multiple security enablement's clearly are utilized in a database access environment (i.e., figure 7 and associated description) via associated proxy object generation/instantiation over the network (i.e., col. 8,lines 41-43, where the teachings of 'The target ID identifies the

Art Unit: 2136

server target object while the port ID identifies a port used to address the server target object.

For example, port 80 on an Internet node indicates a web server.' as referenced to Internet, and

associated HTTP transfer protocol specifically apply) upon client initiation/request, whereas the

database access encompass the particular database driver objects required for access with the

security mechanism located in the logical data/object path (i.e., tunneling path between the client

and server(s) with associated references as accessed across the network via associated ORB

processes), as broadly interpreted by the examiner.).

Further, as per claim 17, this claim is the method claim for the system (apparatus) claim 8

above, and is rejected for the same reasons provided for the claim 8 rejection, as such; "The

method of Claim 16, wherein the communications between the client and the application server

occur over port 80.".

Further, as per claim 26, this claim is the system mean plus function claim for the system

(apparatus) claim 8 above, and is rejected for the same reasons provided for the claim 8 rejection.

as such; "The system of Claim 25, wherein the data communications between the client and the

application server occur over port 80.".

13. Claim 9 additionally recites the limitation that; "The apparatus of Claim 8, wherein

the one or more database drivers further comprise

one or more JDBC drivers.".

Art Unit: 2136

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 1-5,7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-col. 5,line 9, col. 6,lines 30-63) and support of the Java server database access addresses the JDBC drivers aspect, as broadly interpreted by the examiner.).

Further, as per claim 18, this claim is the method claim for the system (apparatus) claim 9 above, and is rejected for the same reasons provided for the claim 9 rejection, as such; "The method of Claim 17, wherein the one or more database drivers further 2 comprise one or more JDBC drivers."

Further, as per claim 27, this claim is the system mean plus function claim for the system (apparatus) claim 9 above, and is rejected for the same reasons provided for the claim 9 rejection, as such; "The system of Claim 26, wherein the one or more database drivers further comprise one or more JDBC drivers."

14. Claim 10 *additionally recites* the limitation that; "The apparatus of Claim 6, wherein the application server further comprises

means for batching one or more database requests from the client computer so that the batch of database requests are

sent periodically to the database server.".

Art Unit: 2136

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 1-5,7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figures 4,12 and associated descriptions, col. 4,lines 61-col. 5,line 9, col. 6,lines 30-63) and support of the Java server database access addresses the JDBC/batch [transaction oriented] aspects, as broadly interpreted by the examiner.).

Further, as per claim 19, this claim is the method claim for the system (apparatus) claim 10 above, and is rejected for the same reasons provided for the claim 10 rejection, as such; "The method of Claim 15 further comprises batching one or more database requests from the client computer at the application server so that the batch of database requests are sent periodically to the database server."

Further, as per claim 28, this claim is the system mean plus function claim for the system (apparatus) claim 10 above, and is rejected for the same reasons provided for the claim 10 rejection, as such; "The system of Claim 24, wherein the application server further comprises means for batching one or more database requests from the client computer so that the batch of database requests are sent periodically to the database server."

15. As per claim 29; "A system [This claim is the method embodied software claim for the system (apparatus) claims 1-5,9 above, and is rejected for the same reasons provided for the

Art Unit: 2136

claims 1-5,9 rejection] for accessing data by a Java applet wherein the data is located behind a security mechanism, the system comprising:

a client

that executes a Java applet having a series of instructions that includes accessing data from a database,

the client further comprising

one or more database proxy objects that are

generated by the Java applet in response to a database request;

an application server

that executes a servlet that interact with

the database proxy objects and

generates one or more objects corresponding to

the database proxy objects,

the application server further comprising

one or more JDBC drivers that are

integrated into the objects generated by the servlets

wherein

the JDBC drivers interface with a database so that

the application server requests data from the database; and

wherein

the applet interacts with the database through the application server so that
a security mechanism protecting the client

Art Unit: 2136

does not interrupt the accessing of the data in the database.".

16. As per claim 30; "A system [This claim is the method embodied software claim for the system (apparatus) claims 1,5 above, and is rejected for the same reasons provided for the claims 1,5 rejection] for accessing data located behind a security mechanism, comprising:

a client

that executes a first application having a series of instructions that includes accessing data from a database,

the client further comprising

one or more database proxy objects;

an application server

that executes one or more second applications that interact with the database proxy objects and

have one or more corresponding objects,

the application server further comprising

one or more drivers that interface with a database so that

the application server requests data from the database; and

wherein

the client interacts with the database through the application server so that a security mechanism protecting the client:

does not interrupt the accessing of the data in the database.".

Art Unit: 2136

17. Claim 31 *additionally recites* the limitation that, "The system of Claim 30, wherein the first and second set of applications are

Java language applications.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-col. 5,line 9, col. 6,lines 30-63) constitutes first and second Java language applications, as broadly interpreted by the examiner.).

18. Claim 32 *additionally recites* the limitation that, "The system of Claim 31, wherein the first application comprises

an applet.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-col. 5,line 9, col. 6,lines 30-63) constitutes first (i.e., applet) and second (i.e., servlet) Java language applications, as broadly interpreted by the examiner.).

19. Claim 33 *additionally recites* the limitation that; "The system of Claim 31, wherein the second set of applications comprises

a set of servlets.".

Art Unit: 2136

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-col. 5,line 9, col. 6,lines 30-63) constitutes first (i.e., applet) and second set (i.e., servlet(s)) Java language applications, as broadly interpreted by the examiner.).

20. Claim 34 *additionally recites* the limitation that; "The system of Claim 33 further comprising

a database server that contains the data being accessed by the application server wherein

the database server and

the application server are located in different geographic areas.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 1-5,7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-col. 5,line 9, col. 6,lines 30-63) constitutes first (i.e., applet) and second (i.e., servlet) Java language applications not necessarily collocated (i.e., col. 6,lines 20-39) as broadly interpreted by the examiner.).

21. Claim 35 *additionally recites* the limitation that; "The system of Claim 34 further comprising

a communications network that permits

Art Unit: 2136

the client,

the application server and

the database server to communicate data with each other and

wherein the data communications between

the client and

application server occur using

the hypertext transfer protocol (HTTP) that

tunnels through the security mechanism.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 1-5,7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-col. 5,line 9, col. 6,lines 30-63) constitutes first (i.e., applet) and second (i.e., servlet) Java language applications not necessarily collocated (i.e., col. 6,lines 20-39). Further, whereas the use of the multiple security enablement's clearly are utilized in a database access environment (i.e., figure 7 and associated description) via associated proxy object generation/instantiation over the network (i.e., Internet, and associated HTTP transfer protocol) upon client initiation/request, whereas the database access encompass the particular database driver objects required for access with the security mechanism located in the logical data/object path (i.e., tunneling path between the client and server(s) with associated references as accessed across the network via associated ORB processes), as broadly interpreted by the examiner.).

22. Claim 36 additionally recites the limitation that; "The system of Claim 35, wherein

Art Unit: 2136

the data communications between

the client and

the application server occur over port 80.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 1-5,7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figure 4 and associated description, col. 4, lines 61col. 5, line 9, col. 6, lines 30-63) constitutes first (i.e., applet) and second (i.e., servlet) Java language applications not necessarily collocated (i.e., col. 6,lines 20-39). Further, whereas the use of the multiple security enablement's clearly are utilized in a database access environment (i.e., figure 7 and associated description) via associated proxy object generation/instantiation over the network (i.e., col. 8, lines 41-43, where the teachings of 'The target ID identifies the server target object while the port ID identifies a port used to address the server target object. For example, port 80 on an Internet node indicates a web server, as referenced to Internet, and associated HTTP transfer protocol specifically apply) upon client initiation/request, whereas the database access encompass the particular database driver objects required for access with the security mechanism located in the logical data/object path (i.e., tunneling path between the client and server(s) with associated references as accessed across the network via associated ORB processes), as broadly interpreted by the examiner.).

23. Claim 37 *additionally recites* the limitation that; "The system of Claim 36, wherein the one or more database drivers further comprise

one or more JDBC drivers.".

Art Unit: 2136

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 1-5,7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figure 4 and associated description, col. 4,lines 61-col. 5,line 9, col. 6,lines 30-63) and support of the Java server database access addresses the JDBC drivers aspect, as broadly interpreted by the examiner.).

24. Claim 38 *additionally recites* the limitation that, "The system of Claim 34, wherein the application server further comprises

means for batching one or more database requests from the client computer so that the batch of database requests are

sent periodically to the database server.".

The teachings of Albaugh et al suggest such limitations (i.e., ABSTRACT, figures 1-5,7,8,10-15 and associated descriptions, whereas the use of Java in support of the CORBA object bus interfacing for an associated application (i.e., figures 4,12 and associated descriptions, col. 4,lines 61-col. 5,line 9, col. 6,lines 30-63) and support of the Java server database access addresses the JDBC/batch [transaction oriented] aspects, as broadly interpreted by the examiner.).

Response to Amendment

25. As per applicant's argument concerning the lack of teaching by Albaugh et al of "generation of proxy objects [via applications command]", the examiner has fully considered in this response to amendment; the arguments, and finds them not to be persuasive. Nowhere in the

Art Unit: 2136

claim language does the recitation of a requirement for an explicit claiming of the differentiation aspect concerning the use of an application not inherently associated with the use of the instantiated objects (i.e., proxies or whatever type of objects); just the broad "first application capable ... second application ..." criteria per se. Further, while Albaugh et al may be primarily 'concerned' with object/security functionality aspects, nonetheless, the reference inherent teachings (i.e., object instantiation/creation is inherent in an application or client and server application that uses objects) clearly addresses the claim limitations as presently presented. Therefore, the various Albaugh et al references to the performance of objects functionality/transfer (i.e., client to server request, or server to client response in inherently the form of object references; clearly objects transferred nonetheless), as being *broadly interpreted by the examiner*, as per the claim language, would therefore be applicable in the rejection, such that the rejection support references collectively encompass the said claim limitations in their entirety.

26. As per applicant's argument concerning the lack of teaching by Albaugh et al of "forwarding of proxy objects", the examiner has fully considered in this response to amendment; the arguments, and finds them not to be persuasive, again, as discussed above. Further, the various Albaugh et al references to the performance of objects functionality/transfer (i.e., inherently in the form of object reference requests; clearly objects transferred nonetheless), as being *broadly interpreted by the examiner*, as per the claim language, would therefore be applicable in the rejection, such that the rejection support references collectively encompass the said claim limitations in their entirety.

Art Unit: 2136

channel/session.

As per applicant's argument concerning the lack of teaching by Albaugh et al of "security mechanisms ...", the examiner has fully considered in this response to amendment; the arguments, and finds them not to be persuasive (i.e., figure 8 and associated descriptions dealing with the client/server security services as associated with the ISO layers *below* the application layer (that calls/formats at the protocol, TCP, etc., layers using SSL) thereby clearly associating an application instantiated objects utilizing security services in a defined communications

Page 23

28. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2136

Conclusion

Any inquiry concerning this communication or earlier communications from examiner should be directed to Ronald Baum, whose telephone number is (571) 27<u>2</u>-3861, and whose unofficial Fax number is (571) 27<u>3</u>-3861. The examiner can normally be reached Monday through Thursday from 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh, can be reached at (571) 272-3795. The Fax number for the organization where this application is assigned is **571-273-8300**.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. For more information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ronald Baum

Patent Examiner

CHRISTOPHER REVAK PRIMARY EXAMINER

2/9/06